## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Instantaneous Blast Grenade, OC
- · **Article number:** 1040 (1012489)
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Crowd Control Device
- · Uses advised against Contact manufacturer.
- · 1.3 Details of the supplier of the Safety Data Sheet
- Manufacturer/Supplier:

Safariland, LLC 13386 International Parkway Jacksonville, FL 32218 Customer Care (800) 347-1200



ChemTel Inc.

+1 (800)255-3924, +1 (813)248-0585



#### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Classifications listed are applicable to the OSHA GHS Hazard Communication Standard (29CFR1910.1200).

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.



exploding bomb

Expl. 1.4 H204 Fire or projection hazard.



Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

Additional information:

There are no other hazards not otherwise classified that have been identified.

0 % of the mixture consists of component(s) of unknown toxicity.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is additionally classified and labelled according to the Globally Harmonized System within the United States (GHS).

(Cont'd. on page 2)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 1)

The product is classified and labelled according to the CLP regulation.

#### · Hazard pictograms





**GHS01 GHS07** 

#### · Signal word Warning

#### · Hazard-determining components of labelling:

Oleoresin Capsicum

#### · Hazard statements

The following Hazard Statements are applicable only to the EU regulations and not the US GHS regulation: H412.

H204 Fire or projection hazard.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### · Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust.

P264 Wash thoroughly after handling.

P280 Wear protective gloves / eye protection / face protection.

P271 Use only outdoors or in a well-ventilated area.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P337+P313 Fee irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use for extinction: CO2, powder or water spray. Take off contaminated clothing and wash it before reuse.

P401 Store in accordance with local/regional/national/international regulations.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### Additional information:

Can become highly flammable in use.

#### · NFPA ratings (scale 0 - 4)



Health = 2 Fire = 3

Reactivity = 3

This substance possesses oxidizing properties.

(Cont'd. on page 3)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 2)

· HMIS-ratings (scale 0 - 4)



- \* Indicates a long term health hazard from repeated or prolonged exposures.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- · Explosive Product Notice

PREVENTION OF ACCIDENTS IN THE USE OF EXPLOSIVES - The prevention of accidents in the use of explosives is a result of careful planning and observance of the best known practices. The explosives user must remember that he is dealing with a powerful force and that various devices and methods have been developed to assist him in directing this force. He should realize that this force, if misdirected, may either kill or injure both him and his fellow workers.

WARNING - All explosives are dangerous and must be carefully handled and used following approved safety procedures either by or under the direction of competent, experienced persons in accordance with all applicable federal, state, and local laws, regulations, or ordinances. If you have any questions or doubts as to how to use any explosive product, DO NOT USE IT before consulting with your supervisor, or the manufacturer, if you do not have a supervisor. If your supervisor has any questions or doubts, he should consult the manufacturer before use.

#### **SECTION 3: Composition/information on ingredients**

- · 3.2 Mixtures
- · Description:

Product will contain various combinations of the following substances. Not all substances will be in each product.

Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 8023-77-6 EINECS: 288-920-0	Oleoresin Capsicum Eye Dam. 1, H318 Acute Tox. 4, H302; Skin Irrit. 2, H315	<10%
CAS: 3811-04-9 EINECS: 223-289-7 Index number: 017-004-00-3	potassium chlorate  Ox. Sol. 1, H271 Aquatic Chronic 2, H411 Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 57-50-1 EINECS: 200-334-9	sucrose, pure substance with a Community workplace exposure limit	
CAS: 598-62-9 EINECS: 209-942-9	manganese carbonate substance with a Community workplace exposure limit	on page 4)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

	(Cont'd. from	nage 3)
CAS: 100-21-0 EINECS: 202-830-0	terephthalic acid substance with a Community workplace exposure limit	page 0)
CAS: 78-11-5 EINECS: 201-084-3 Index number: 603-035-00-5	pentaerythritol tetranitrate (PETN)  One Unst. Expl., H200	
CAS: 7440-50-8 EINECS: 231-159-6	copper substance with a Community workplace exposure limit	
CAS: 13424-46-9 EINECS: 236-542-1 Index number: 082-003-00-7	lead diazide / lead azide  Unst. Expl., H200 Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 7440-66-6	zinc metal Aquatic Acute 1, H400; Aquatic Chronic 1, H410	
CAS: 9004-70-0 EC number: 603-037-0	Nitrocellulose, colloided, granular Expl. 1.1, H201	
CAS: 7778-74-7 EINECS: 231-912-9 Index number: 017-008-00-5	potassium perchlorate Ox. Sol. 1, H271 Acute Tox. 4, H302	
CAS: 557-04-0 EINECS: 209-150-3	magnesium distearate, pure substance with a Community workplace exposure limit	
CAS: 592-87-0 EINECS: 209-774-6 Index number: 082-001-00-6	lead dithiocyanate  Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Acute Tox. 4, H302; Acute Tox. 4, H332	
CAS: 10294-40-3 EINECS: 233-660-5 Index number: 056-002-00-7	barium chromate  Acute Tox. 4, H302; Acute Tox. 4, H332	
· SVHC		
13424-46-9 lead diazide / lea	ad azide	
For the listed ingredient(s), the	Hazard Statements refer to section 16. he identity and exact percentages are being withheld as a trade secret.	
· Notable Trace Components		
CAS: 7758-97-6 EINECS: 231-846-0 Index number: 082-004-00-2	lead chromate Carc. 1B, H350; Repr. 1A, H360Df; STOT RE 2, H373 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	

#### **SECTION 4: First aid measures**

- · 4.1 Description of first aid measures
- General information:

Immediately remove any clothing soiled by the product.

(Cont'd. on page 5)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 4)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

#### · After inhalation:

Supply fresh air.

Seek immediate medical advice.

In case of irregular breathing or respiratory arrest provide artificial respiration.

Provide oxygen treatment if affected person has difficulty breathing.

#### · After skin contact:

Immediately rinse with water.

If skin irritation continues, consult a doctor.

#### · After eye contact:

Protect unharmed eye.

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

#### After swallowing:

Unlikely route of exposure.

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Blast injury if mishandled.

Irritating to eyes, respiratory system and skin.

Breathing difficulty

Coughing

Allergic reactions

Disorientation

#### · Hazards

Danger of blast or crush-type injuries.

Danger of impaired breathing.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If necessary oxygen respiration treatment.

Product may produce physical injury if mishandled. Treatment of these injuries should be based on the blast and compression effects.

#### **SECTION 5: Firefighting measures**

#### · 5.1 Extinguishing media

#### Suitable extinguishing agents:

DO NOT fight fire when fire reaches explosives.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used. If the fire reaches the cargo, withdraw and let fire burn.

- · For safety reasons unsuitable extinguishing agents: None.
- · 5.2 Special hazards arising from the substance or mixture

Fire or projection hazard.

Product may explode if burned in confined space. Individual cartridges may explode. Mass explosion of many cartridges at once is unlikely.

Hazardous combustions products: Metal Compounds, Carbon Monoxide, Carbon Dioxide, Nitrous Oxides, Various complex oxides of metals, Nitrogen.

(Cont'd. on page 6)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 5)

5.3 Advice for firefighters

· Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Evacuate area and fight fire from from the upwind side.

Cool endangered receptacles with water spray.

#### **SECTION 6: Accidental release measures**

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Use respiratory protective device against the effects of fumes/dust/aerosol.

Isolate area and prevent access.

Keep people at a distance and stay on the windward side.

Wear protective equipment. Keep unprotected persons away.

Remove persons from danger area.

Ensure adequate ventilation

Protect from heat.

Keep away from ignition sources.

· 6.2 Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

#### **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

Handle with care. Avoid jolting, friction and impact.

Keep away from heat and direct sunlight.

Use only in well ventilated areas.

#### · Information about fire - and explosion protection:

Prevent impact and friction.

Keep respiratory protective device available.

Emergency cooling must be available in case of nearby fire.

Protect from heat.

Keep ignition sources away - Do not smoke.

(Cont'd. on page 7)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 6)

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Provide ventilation for receptacles.

Avoid storage near extreme heat, ignition sources or open flame.

· Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from flammable substances.

Do not store together with oxidising and acidic materials.

Store away from water.

Further information about storage conditions:

Protect from heat and direct sunlight.

Store in dry conditions.

Store receptacle in a well ventilated area.

· 7.3 Specific end use(s) No further relevant information available.

#### **SECTION 8: Exposure controls/personal protection**

- · Additional information about design of technical facilities: No further data; see section 7.
- · 8.1 Control parameters

· Ingredients v	vith limit values that require monitoring at the workplace:
100-21-0 tere	phthalic acid
TLV (USA)	Long-term value: 10 mg/m³
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust; **respirable fraction
EV (Canada)	Long-term value: 10 mg/m³
57-50-1 sucre	ose, pure
PEL (USA)	Long-term value: 15* 5** mg/m³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m³ *total dust **respirable fraction
TLV (USA)	Long-term value: 10 mg/m³
EL (Canada)	Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction
EV (Canada)	Long-term value: 10 mg/m³ total dust
598-62-9 mar	nganese carbonate
PEL (USA)	Ceiling limit: 5 mg/m³ as Mn
REL (USA)	Short-term value: 3 mg/m³ Long-term value: 1 mg/m³ as Mn
	(Cont'd. on page 8)

(Cont'd. on page 9)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

		(Cont'd. from pag
TLV (USA)	Long-term value: 0,02* 0,1* mg/m³ as Mn; *respirable **inhalable fraction	
EL (Canada)	Long-term value: 0,2 mg/m³ as Mn; R	
7440-50-8 co	pper	
PEL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
REL (USA)	Long-term value: 1* 0,1** mg/m³ as Cu *dusts and mists **fume	
TLV (USA)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume; as Cu	
EL (Canada)	Long-term value: 1* 0,2** mg/m³ *dusts and mists; **fume, as Cu	
EV (Canada)	Long-term value: 0,2* 1** mg/m³ as copper, *fume;**dust and mists	
13424-46-9 le	ead diazide / lead azide	
PEL (USA)	Long-term value: 0,05 mg/m³ as Pb; See 29 CFR 1910.1025	
REL (USA)	Long-term value: 0,05* mg/m³ as Pb;*8-hr TWA; See Pocket Guide App. C	
TLV (USA)	Long-term value: 0,05 mg/m³ as Pb; BEI	
EL (Canada)	Long-term value: 0,05 mg/m³ as Pb; IARC 2A, R	
557-04-0 mag	gnesium distearate, pure	
TLV (USA)	Long-term value: 10 mg/m³	
592-87-0 lead	d dithiocyanate	
PEL (USA)	Long-term value: 5 mg/m³ as CN; Skin	
EV (Canada)	Long-term value: 0,05 mg/m³ as Pb, Skin (organic compounds)	
10294-40-3 b	arium chromate	
	Long-term value: 0,005* mg/m³ Ceiling limit: 0.1** mg/m³ *as Cr(VI) **as CrO3; see 29 CFR 1910.1026	
REL (USA)	Long-term value: 0,0002 mg/m³ as Cr; See Pocket Guide Apps. A and C	
TLV (USA)	Long-term value: 0,01 mg/m³ as Cr	
EL (Canada)	Long-term value: 0,01 mg/m³ as Cr; ACGIH A1, IARC 1	
	rther relevant information available.	
PNECs No fu	rther relevant information available.	

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 8)

#### · Ingredients with biological limit values:

#### 13424-46-9 lead diazide / lead azide

BEI (USA) 30 μg/100 ml

Medium: blood Time: not critical Parameter: Lead

#### 10294-40-3 barium chromate

BEI (USA) 25 µg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Total chromium (fume)

10 μg/L Medium: urine

Time: increase during shift

Parameter: Total chromium (fume)

#### · 8.2 Exposure controls

#### · Personal protective equipment:

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Do not inhale dust / smoke / mist.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale gases / fumes / aerosols.

#### Respiratory protection:

Wear positive pressure NIOSH or European EN149 vapor respirators when deploying product in large quantities.

#### Protection of hands:



#### Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Cont'd. on page 10)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 9)

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Safety glasses

- · Body protection: Protective work clothing
- · Limitation and supervision of exposure into the environment

No further relevant information available.

· Risk management measures

See Section 7 for additional information.

Organizational measures should be in place for all activities involving this product.

9.1 Information on basic physical a	and chemical properties
General Information	
Appearance:	
Form:	Solid material
Colour:	Grey
Odour: Odour threshold:	Characteristic
Odour threshold:	Not determined.
pH-value:	Not applicable.
Change in condition	
Melting point/Melting range:	Not determined.
Boiling point/Boiling range:	Not determined.
Flash point:	Not applicable.
Flammability (solid, gaseous):	Not determined.
Auto/Self-ignition temperature:	Not determined.
Decomposition temperature:	Not determined.
Self-igniting:	Product is not self-igniting.
Danger of explosion:	Extreme risk of explosion by shock, friction, fire or other sources of ignition.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not applicable.
Density:	Not determined.
Relative density	Not determined.

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 10)

Vapour densityEvaporation rateNot applicable.Not applicable.

· Solubility in / Miscibility with

water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

• **9.2 Other information** No further relevant information available.

#### **SECTION 10: Stability and reactivity**

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous reactions

Fire or projection hazard.

Contact with acids releases toxic gases.

Toxic fumes may be released if heated above the decomposition point.

Strong exothermic reaction with acids.

Develops toxic gases/fumes.

· 10.4 Conditions to avoid

Keep ignition sources away - Do not smoke.

Store away from oxidising agents.

Keep away from heat and direct sunlight.

Cartridge may detonate if case is punctured or severely damaged.

- 10.5 Incompatible materials: Contact with acids liberates toxic gas.
- 10.6 Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Hydrocarbons

Leadoxide vapour

Bariumoxide vapour

Nitrogen oxides (NOx)

Chlorine compounds

Poisonous gases/vapours

Irritant gases/vapours

#### **SECTION 11: Toxicological information**

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

(Cont'd. on page 12)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

		(Cont'd. from page 11)
· LD/LC5	0 valu	es relevant for classification:
3811-04	-9 pot	assium chlorate
Oral	LD50	1870 mg/kg (rat)
8023-77	-6 Ole	oresin Capsicum
Oral	LD50	3000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (mouse)
7758-97	-6 lead	d chromate
Oral	LD50	12000 mg/kg (mouse)

- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye irritation.

- · Respiratory or skin sensitisation May cause sensitisation by inhalation and skin contact.
- · Additional toxicological information: Toxic and/or corrosive effects may be delayed up to 24 hours.
- · Acute effects (acute toxicity, irritation and corrosivity): Irritating to eyes, respiratory system and skin.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction):
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

- · 12.1 Toxicity
- Aquatic toxicity:

Toxic for aquatic organisms

The product contains materials that are harmful to the environment.

- 12.2 Persistence and degradability The product is partially biodegradable. Significant residuals remain.
- 12.3 Bioaccumulative potential May be accumulated in organism
- 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

This statement was deduced from the properties of the single components.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

(Cont'd. on page 13)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 12)

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- 12.5 Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system. Hand over to hazardous waste disposers.

After prior treatment product has to be disposed of in an incinerator for hazardous waste adhering to the regulations pertaining to the disposal of particularly hazardous waste.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes. Residual materials should be treated as hazardous.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport informa	tion
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN0301
· 14.2 UN proper shipping name · DOT, IMDG, IATA · ADR	AMMUNITION TEAR-PRODUCING with burster expelling charge or propelling charge 0301 AMMUNITION TEAR-PRODUCING with burster expelling charge or propelling charge
· 14.3 Transport hazard class(es)	
· DOT	
1.4	
· Class	1 Explosive substances and articles.
	(Cont'd. on page 1

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

	(Cont'd. from page
· Label	1.4G, 6.1, 8
· ADR	
1.4 See See See See See See See See See Se	
· Class · Label	1 Explosive substances and articles. 1.4G+6.1+8
·IMDG	
1.4 (G) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B	
· Class · Label	1 Explosive substances and articles. 1.4G/6.1/8
 · IATA	
1.4 (92) (1.5) (1.	
· Class · Label	1 Explosive substances and articles. 1.4G (6.1, 8)
· 14.4 Packing group · DOT, ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Special marking (IATA):	
Cargo Aircraft Only.	
· 14.6 Special precautions for user · Danger code (Kemler):	Warning: Explosive substances and articles.
· EMS Number:	F-B,S-Z
· 14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	0 Code: E0
· Transport category	Not permitted as Excepted Quantity 2
	(Cont'd. on page

(Cont'd. on page 16)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

13424-46-9 lead diazide / lead azide

10294-40-3 barium chromate 7758-97-6 lead chromate

	(Cont'd. from page 14)
· Tunnel restriction code	E
· UN "Model Regulation":	UN0301, AMMUNITION TEAR-PRODUCING with burster, expelling charge, _ (1.4G+6.1+8), II

<b>United States</b>	health and environmental regulations/legislation specific for the substance or mixture
SARA	
Section 355	(extremely hazardous substances):
None of the ir	ngredients are listed.
Section 313	(Specific toxic chemical listings):
598-62-9 r	manganese carbonate
7440-50-8 c	•••
-	ead diazide / lead azide
7440-66-6 z	zinc metal
TSCA (Toxic	Substances Control Act):
All ingredients	s are listed.
•	65 (California):
Chemicals k	nown to cause cancer:
	ead diazide / lead azide
	ead dithiocyanate
	parium chromate
	ead chromate
Chemicals ki Present in tra	nown to cause reproductive toxicity for females: ace quantities.
10294-40-3 k	parium chromate
7758-97-6 le	ead chromate
Chemicals ki Present in tra	nown to cause reproductive toxicity for males: ce quantities.
10294-40-3 k	parium chromate
7758-97-6 le	ead chromate

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

		(Cont'd. from page
_	ic Categories	
•	onmental Protection Agency)	
	manganese carbonate	D
7440-50-8		D
	lead diazide / lead azide	B2
7440-66-6		D, I, II
	potassium perchlorate	NL
10294-40-3	barium chromate	A(inh), D(oral), K/L(inh), CBD(or
•	national Agency for Research on Can	cer)
13424-46-9	lead diazide / lead azide	
10294-40-3	barium chromate	
TLV (Thres	hold Limit Value established by ACGI	H)
57-50-1	sucrose, pure	
13424-46-9	lead diazide / lead azide	
10294-40-3	barium chromate	,
NIOSH-Ca (	National Institute for Occupational Sa	fety and Health)
10294-40-3	barium chromate	
Canada		
	omestic Substances List (DSL)	
All ingredien	ts are listed.	
Canadian Ir	ngredient Disclosure list (limit 0.1%)	
	manganese carbonate	
10294-40-3	barium chromate	
Canadian Ir	ngredient Disclosure list (limit 1%)	
100-21-0 t	erephthalic acid	
7440-50-8	copper	
Directive 20	012/18/EU	
Named dan	gerous substances - ANNEX I	
None of the	ingredients are listed.	
_	ations, limitations and prohibitive reg	
	of very high concern (SVHC) accord lead diazide / lead azide	ing to REACH, Article 57
	lead diazide / lead azide	

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Cont'd. on page 17)

## according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 16)

#### · Relevant phrases

- H200 Unstable explosives.
- H201 Explosive; mass explosion hazard.
- H271 May cause fire or explosion; strong oxidiser.
- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.
- H350 May cause cancer.
- H360Df May damage the unborn child. Suspected of damaging fertility.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

#### Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Expl. 1.1: Explosives, Division 1.1

Expl. 1.4: Explosives, Division 1.4

Unst. Expl.: Explosives, Unstable explosives

Ox. Sol. 1: Oxidising Solids, Hazard Category 1

Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Carc. 1B: Carcinogenicity, Hazard Category 1B

Repr. 1A: Reproductive toxicity, Hazard Category 1A

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

#### Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

(Cont'd. on page 18)

# Safety Data Sheet according to 1907/2006/EC (REACH), 1272/2008/EC (CLP), and OSHA GHS

Printing date November 6, 2015 Revision: November 6, 2015

Trade name: Instantaneous Blast Grenade, OC

(Cont'd. from page 17)

Website: www.chemtelinc.com